

ABSTRACT OF THE DISCLOSURE

A catalyst element remaining in a first semiconductor film subjected to a first heat treatment (crystallization) is moved and concentrated/collected by subjecting a second semiconductor film which is formed on the first semiconductor film and contains a rare gas element to a second heat treatment. That is, the rare gas element is incorporated into the second semiconductor film to generate a strain field as a gettering site.